














PGT[®]
PIPE GRIP TIES OR APPROVED EQUAL.

THE PGT1.5 SHALL BE FOR 1 7/8" OUTSIDE DIAMETER LINE POSTS,
AND THE PGT2 SHALL BE FOR 2 3/8" OUTSIDE DIAMETER CORNER POSTS.


MATERIAL: 12 gauge
FINISH: GALVANIZED

INSTALLATION: USE ALL SPECIFIED FASTENERS. SEE GENERAL NOTES.


- INSTALL ON VERTICAL PIPES TO ALLOW FOR CORRECT RAIL ALIGNMENT.
- USE 3 PIPE GRIP TIES PER PIPE; LINE UP TO STRINGLINE.
- FASTEN PIPE GRIP TIES TO PIPE WITH 1/4" HEX HEAD BOLT (SUPPLIED).
- PIPE GRIP TIE ATTACHES TO HORIZONTAL RAIL WITH FOUR GALVANIZED SCREWS AS SPECIFIED.
- NAIL OR SCREW FENCE BOARDS TO RAILS USING GALVANIZED FASTENERS AS SPECIFIED.
- 5/16" GALVANIZED CARRAGE BOLTS WITH FLAT WASHERS AND NUTS MAY BE USED IN LIEU OF PIPE GRIP TIES (3 PER POST REQUIRED FOR LINE POST; 6 PER POST REQUIRED FOR CORNER POST; FLAT WASHERS ALL SIDES).




TYPICAL FENCE PICKET DETAILS
(See Specifications)




TYPICAL BOTTOM GATE HINGE



CATCH LATCH DETAIL



CATCH LATCH DETAIL



STANDARD PLAN NO. 902-04	DATED February 8, 2008	SHEET NO. 1 OF 1
-----------------------------	---------------------------	---------------------

RESIDENTIAL WOODEN
FENCE DETAILS
(6FT. HIGH OR LESS)

ENGINEERING DIVISION DEPARTMENT OF PUBLIC WORKS CITY OF BATON ROUGE & PARISH OF EAST BATON ROUGE			
DESIGNED G. JONES	DRAWN G. VANNICE	CHECKED N. RABALAIS	APPROVED T. STEPHENS

902-04